

# BlueCross BlueShield of Vermont

**Standard Companion Guide Trading Partner Information** 

Instructions related to 837 Health Care Professional Claim Transactions, based on ASC X12 Implementation Guides, Version 005010

837 Professional (HIPAA/V5010X222A1)

**Companion Guide Version: 1.02** 

# Oct 2021

This template is Copyright © 2011 by The Workgroup for Electronic Data Interchange (WEDI) and the Data Interchange Standards Association (DISA), on behalf of the Accredited Standards Committee (ASC) X12. All rights reserved. It may be freely redistributed in its entirety provided that this copyright notice is not removed. It may not be sold for profit or used in commercial documents without the written permission of the copyright holder. This document is provided "as is" without any express or implied warranty. Note that the copyright on the underlying ASC X12 Standards is held by DISA on behalf of ASC X12.

2014 © Companion Guide copyright by Blue Cross Blue Shield of Vermont

# **Preface**

Blue Cross Blue Shield of Vermont (BCBSVT) accepts X12N 837 Professional (837P) Healthcare Claims, as mandated by the Health Insurance Portability and Accountability Act of 1996 (HIPAA). The X12N 837P version of 5010 Standards for Electronic Data Interchange Technical Report Type 3 and Errata for Healthcare Professional claims is the established standard version for Healthcare claims transaction compliance.

This document serves as the BCBSVT Plan specific Companion Guide to 837P transaction sets. This document supplements, and is intended for use in conjunction with, the requirements in the HIPAA Implementation Guide 837P Technical report, Type 3. The purpose of this document is to clarify BCBSVT usage on specific loops, segments and data elements for X12 Professional claims transaction submission to the Plan. This document is subject to revision as new versions of 837P Health Care Claim Transaction set technical reports are released.

# **Table of Contents**

8	Acknowledgements and Reports	24
7	BCBSVT Specific rules and Validation	
	6.1 ISA-IEA	13
6	Control Segments / Envelopes	
	5.1 EDI Customer Service	11 11
5	Contact information	11
	4.3 Communication Protocols	
	4.1 Process flows	10
4	Connectivity / Communications	10
	3.1 Testing Requirements  3.2 Certification Requirements	
3	Testing and Certification Requirements	8
	Working with Blue Cross Blue Shield of Vermont      Trading Partner Registration      Trading Partner Testing and Certification Process	7
2	Getting Started	7
	1.1 Purpose	6 7
1	TP Introduction	6

	8.1 ASC X12 Acknowledgments	24
	8.2 Report Inventory	25
9	Additional Trading Partner Information	
	9.1 Implementation Checklist	26
	9.2 Transmission Examples	26
	9.3 Trading Partner Agreement	29
	9.4 Frequently Asked Questions	29
	9.5 Other Resources	29
10	TP Change Summary	30

# **Trading Partner Information (TP)**

# 1 Trading Partner Introduction

# 1.1 Purpose

This document is the property of Blue Cross Blue Shield of Vermont (BCBSVT) and is for use solely in your capacity as a Trading Partner of healthcare transactions with BCBSVT. This Companion Guide provides the additional trading partner information needed to successfully submit 837 professional claims to BCBSVT, and should be used in conjunction with the 837P 5010A1 HIPAA Implementation Guide.

Please reference the National Electronic Data Interchange Transaction set Technical report and errata for Health Care Claim: Professional ASC X12N 837 (005010X222 and 005010X222A1). HIPAA 5010 Implementation Guides are available at Washington Publishing Company website at <a href="https://www.wpc-edi.com">www.wpc-edi.com</a>.

This Companion Guide is subject to revision as new information becomes available. Please check the BCBSVT Web site at www.bcbsvt.com for updated documents.

#### Note:

- BCBSVT accepts 5010A1 version for 837 Professional Claims
- All Alpha Characters in the file must be Upper Case.

### 1.2 Scope

The scope of this document is to convey BCBSVT specific business rules, X12 element usage and other plan specific information. The document does not duplicate or negate the X12 standard requirements for HIPAA 5010 837 Professional claim X12 transaction submission. For complete X12 HIPAA standard instructions, please reference the 5010 837P HIPAA Implementation Guide on the Washington Publishing website.

The BCBSVT Provider Manual also provides specific claims billing related information. This can be found at Reference Guides.

### 1.3 Overview

This Companion Guide is divided into sections to guide you through the process of becoming a certified Trading Partner with BCBSVT and successfully submitting 5010 837 Professional claims.

### 1.4 References

837P 5010 HIPAA Implementation Guide for 837P claim transaction format at www.wpc-edi.com

### 1.5 Additional Information

N/A

# 2 Getting Started

# 2.1 Working Together

The BCBSVT EDI technical department will work with you during the on-boarding, testing and certification processes.

BCBSVT EDI technical support contact information is:

#### **EDI Technical Support**:

Phone: (800) 334-3441, select option 2 Email: editechsupport@bcbsvt.com

Fax: (802) 225-7696

# 2.2 Trading Partner Registration

A BCBSVT EDI trading partner is any business partner (provider, clearinghouse, billing service, software vendor, employer, etc.) who transmits or receives electronic data from BCBSVT.

To establish a trading partner relationship with BCBSVT, it is necessary to complete a Trading Partner Agreement. In addition, trading partners must also complete the EDI enrollment form for certain EDI transaction types. To obtain a Trading Partner

Agreement, please contact EDI Technical Support. The EDI Enrollment form can be found at https://www.bcbsvt.com/provider/electronic-data-interchange

Both documents must be completed and returned to:

Blue Cross and Blue Shield of Vermont (BCBSVT)
Attn: Channel Services (EDI Department)
P.O. BOX 186
Montpelier, VT 05601-0186

BCBSVT only accepts transactions from valid trading partners who have certified through the testing process and have a Trading Partner ID on file. BCBSVT rejects 837 transactions/transmissions for any Trading Partner/submitter ID that cannot be validated.

# 2.3 Trading Partner Testing and Certification Process Overview

The process includes Trading Partner enrollment, 837 Professional Claim test file submission, and processing, certification and conversion to Production status. BCBSVT requires multiple test files to be submitted as outlined in the testing and certification requirements.

BCBSVT also provides access to a Ramp Management<sup>™</sup> website to allow Trading Partners to validate 837 test files before submitting to BCBSVT. Please contact EDI Technical Support for information and access to the Ramp Management<sup>™</sup> website.

# 3 Testing and Certification Requirements

### 3.1 Testing Requirements

Upon receipt of the completed Trading Partner agreement and EDI Enrollment forms, BCBSVT will provide the necessary information to start sending test files. Things to note for 837 X12 file submission:

### 3.1.1 Usage Indicator (Element-ISA15)

Test files must be submitted with usage indicator of 'T'. Test files with a usage indicator of 'P' or production files with a usage indicator of 'T' reject and require the Trading Partner to correct and re-submit the file.

### 3.1.2 Interchange Control Number (Element-ISA13)

Test and production files require a unique Interchange control number for every file. Files submitted with a duplicate Interchange Control number reject and require the Trading Partner to correct and resubmit the file.

### 3.1.3 File Naming

Files must be named as outlined in the SFTP User Guide available at SFTP User Guide

# 3.2 Certification Requirements

BCBSVT processes all submitted test files, but requires a minimum of two successful test files. Successful claim test files must pass the BCBSVT EDI validation layer and adjudicate correctly in the BCBSVT claims processing system. Test files must include a representative volume of claims of different types including claims with multiple service lines. Test files should also contain different services types including but not limited to those provided in the examples in Appendix 9.2.

The EDI Technical Support team will advise of any issues with your test files, and provide reports as outlined in the Reporting section of this guide. Upon successful completion of testing, the EDI Technical team will contact you and work with you to set the production implementation date.

# 4 Connectivity / Communications

### 4.1 Process flows

BCBSVT uses SFTP to exchange all test and production 837 files and related acknowledgements and reports. Trading partners can access the BCBSVT SFTP site in two ways. You will be provided with a user name and initial password upon receipt of the completed Trading Partner Agreement. When logging into the SFTP site for first time, you need to change your password using Method 1 below. Once you have changed your initial password, you can use either method to start sending files. For more information, please refer to the SFTP User Guide at <a href="https://www.bcbsvt.com/provider/electronic-data-interchange">https://www.bcbsvt.com/provider/electronic-data-interchange</a>.

The BCBSVT SFTP site requires you to change your password every 90 days. Please contact the BCBSVT Helpdesk for password assistance. The helpdesk can be reached at (800) 334-3441 (Option 1) or at <a href="mailto:helpdesk@bcbsvt.com">helpdesk@bcbsvt.com</a>.

**Method 1** – Via the web interface

Submitters login at <a href="https://moveit.bcbsvt.com">https://moveit.bcbsvt.com</a>

Method 2 – Via FTP Client using FTP over SSL or FTP over SSH.

Configure your ftp client to use one of the above protocols along with the hostname, username and password. After it is configured, simply login to see your Home and Distribution folders. The SFTP User Guide provides more information about supported clients.

#### 4.2 Transmission Administrative Procedures

BCBSVT establishes logins and passwords to the SFTP site to exchange files.

#### 4.2.1 Re-transmission procedures

If you need to resubmit a file, please make sure that it has a Unique Interchange control number (ISA13). If it has a duplicate interchange control

number, BCBSVT rejects the file, and requires resubmission with a unique Interchange Control number.

### 4.3 Communication Protocols

BCBSVT uses Secure File Transfer protocol.

# 4.4 Security

BCBSVT uses Secure File Transfer protocol, and adheres to a strict confidentiality policy for safeguarding patient, employee, and health plan information.

# 5 Contact information

### 5.1 EDI Customer Service

EDI Customer service contact is the same as the EDI Technical assistance provided below.

### 5.2 EDI Technical Assistance

BCBSVT EDI technical support is available Monday through Friday from 7:00 AM to 5:00 PM (Eastern Time).

For more information regarding EDI transactions, please contact us at:

Phone: (800) 334-3441 (Select Option 2)

Email: editechsupport@bcbsvt.com

Fax: (802)225-7696

### 5.3 Provider Services

N/A

# 5.4 Applicable websites / e-mail

This section contains detailed information about useful web sites and email addresses.

You can find all EDI related forms and reference documents (TP agreement, SFTP User Guide, Companion Guides and other EDI forms) at <a href="https://www.bcbsvt.com/provider/electronic-data-interchange">https://www.bcbsvt.com/provider/electronic-data-interchange</a>

BCBSVT SFTP site to exchange files:

https://moveit.bcbsvt.com

Washington Publishing site to obtain the HIPAA Implementation Guides:

www.wpc-edi.com

SFTP User Guide:

SFTP User Guide

**Provider Manual** 

Reference Guides

# 6 Control Segments / Envelopes

### 6.1 ISA-IEA

This section describes the use of the interchange control segments. It includes expected sender and receiver codes, authorization information, and delimiters. Only one ISA-IEA segment is allowed per 837 file. Data examples are provided in Appendix 9.2.

Interchange Control Header (ISA)			
Authorization Information Qualifier	ISA01	BCBSVT requires 00	
Authorization Information	ISA02	BCBSVT requires 10 spaces	
Security Information Qualifier	ISA03	BCBSVT requires 00	
Security Information	ISA04	BCBSVT requires 10 spaces	
Interchange ID Qualifier	ISA05	BCBSVT requires ZZ	

SA)	
ISA06	BCBSVT requires the assigned 4 digit Sender (Trading Partner) ID followed by 11 spaces. (The 4 digit Sender ID is assigned when you complete the Trading Partner agreement)
ISA07	BCBSVT requires ZZ
ISA08	Must be BCBSVT followed by 9 spaces
ISA09	Format should be YYMMDD
ISA10	Format should be HHMM
ISA11	Suggested { or ^ (or other character not used as a delimiter, separator and not occurring in the data)
ISA12	00501
ISA13	A unique 9 digit control number – it must match IEA02. For Retransmission of files, please refer to Appendix 4.2.1
ISA14	O – BCBSVT does not use this value to generate     Acknowledgements. Please contact EDI department with your request for Acknowledgements.
ISA15	P – for Production Files T – for Test Files
ISA16	Use a valid HIPAA element separator. It must be different from the Repetition separator you specify in ISA11
(A)	
IEA01	Number of functional groups (GS/GE)
IEA02	A unique 9 digit control number-it must match ISA13
	ISA06  ISA07  ISA08  ISA09  ISA10  ISA11  ISA12  ISA13  ISA14  ISA15  ISA16

### 6.2 **GS-GE**

This section describes the use of the functional group control segments. It includes a description of expected application sender and receiver codes, how functional

groups are to be sent, how similar transaction sets will be packaged, and the use of functional group control numbers.

Only one GS-GE loop is allowed per file. Multiple GS-GE loops are not allowed within an ISA-IEA envelope.

Functional Group Header (GS)				
Functional Identifier Code	GS01	HC		
Application Sender's Code	GS02	BCBSVT assigned 4 digit Sender ID		
Application Receiver's Code	GS03	BCBSVT requires BCBSVT		
Date	GS04	Format should be CCYYMMDD		
Time	GS05	Format should be HHMM		
Group Control Number	GS06	1 to 9 digit control number – it must match GE02		
Responsible Agency Code	GS07	X		
Version / Release / Industry Identifier Code	GS08	For Professional Claims – 005010X222A1		
Functional Group Trailer (GE)				
Number of Transaction Sets Included	GE01	Number of Transaction sets (ST/SE) included.		
Group Control Number	GE02	1 to 9 digit control number – it must match GS06		

### 6.3 ST-SE

This section describes the use of transaction set control numbers. BCBSVT allows multiple ST-SE loops within the GS-GE loop.

Transaction Set Header (ST)			
Transaction Set Identifier Code	ST01	837	
Transaction Set Control Number	ST02	4 to 9 digit control number – it must match SE02	
Implementation Convention reference	ST03	005010X222A1	
Transaction Set Trailer (SE)			
, ,	_		
Number of Included Segments	SE01	Number of segments included in the transaction set.	
Transaction Set Control Number	SE02	4 to 9 digit control number - it must match ST02	

# 7 BCBSVT Specific business rules and limitations

This section describes BCBSVT specific business rules, usage and validations on the data in 837 Professional Claim X12 files.

**CLAIM MODEL SUPPORTED:** BCBSVT supports only a Provider-to-Payer claim model with the exception of BCBSVT Blue on Blue coverage. Therefore, if a Payer is secondary to BCBSVT, Providers must submit their own secondary claims to the payer. BCBSVT accepts claims from Medicare for which BCBSVT is the secondary payer; therefore Provider will not have to submit it again to BCBSVT.

**VALID SUBMITTERS:** BCBSVT accepts claims from only certified Trading Partners with BCBSVT registered Trading Partner / Submitter IDs. BCBSVT rejects any transmission file if the Submitter ID can't be validated.

**VALIDATION:** BCBSVT validates 837P claims in accordance with HIPAA 5010 TR3 data requirements.

**ENVELOPING:** BCBSVT requires single ISA/IEA and GS-GE loops per 837 file.

**DATA CONTENT/FORMAT OF FILES:** BCBSVT recommends you submit a wrapped format 837 file, however, does continue to accept 80 character wrapped files with CRLF (windows based carriage return / line feed) at the end of each line.

BCBSVT accepts all HIPAA compliant data elements on 837 professional claim files. The following provides guidelines for submitting consistent data and content:

**Diagnosis code set version**: BCBSVT follows CMS guidelines for ICD-9/ICD-10 diagnosis submission on both paper and 837 electronic claims.

#### **CLAIM CORRECTION AND REVERSAL:**

The 837P TR3 defines the values submitters must use for 837 claim transactions containing a reversal or correction to a claim that has previously been submitted for processing. For professional claims, the 2300 loop (element CLM05-03-Claim Frequency code) must contain a value from the National Uniform billing data element specification type list of bill position 3. Values supported for correction and reversals are:

5 = late charges only

7 = replacement of prior claim

8 = void/cancel of prior claim

For these types of claims, BCBSVT expects to receive the submitter claim number in the 2300 loop (Element – CLM01). In addition, BCBSVT expects to receive to the payer claim number of the original claim in the REF02 element in the REF\*F8 segment. (Note: the original BCBSVT payer claim number is sent on the 835 Electronic Remittance Advice (ERA) in the 2100 loop (element CLP07) or on the paper Remittance Advice (RA). If the BCBSVT Original Claim Number is missing or incorrect, BCBSVT will reject this claim back to the Provider.

For detailed information on the usage of loops, segments and elements, please refer to the 5010 837 Professional HIPAA Implementation Guide. The following provides supplemental information on the loop and segment usage by BCBSVT.

Beginning Segment		T
	BHT	Follow HIPAA 5010 Implementation Guide
LOOP 1000A – SUBMITTER N	IAME	
SUBMITTER NAME	NM1	
Last Name or Organization Name	NM103	BCBSVT requires either the submitter last name or organization name
LOOP 1000B - RECEIVER NA	AME	
RECEIVER NAME	NM1	
Identification code qualifier	NM108	BCBSVT requires 46
Identification code	NM109	BCBSVT requires BCBSVT
Reference Identification	PRV03	BCBSVT requires a valid provider taxonomy code
BILLING PROVIDER Provider Code	PRV PRV01	BCBSVT requires BI for this loop
Reference Identification	PRV03	BCBSV1 requires a valid provider taxonomy code
CURRENCY	CUR	(Use only if claim amounts are not in US Dollars)
Currency Code	CUR02	BCBSVT requires a valid currency code.
LOOP 2010AA – BILLING PROBILLING PROBILLING PROVIDER NAME	OVIDER N	AME AND ADDRESS (BCBSVT requires)
		AME AND ADDRESS (BCBSVT requires)  BCBSVT requires 85
BILLING PROVIDER NAME	NM1	. ,
BILLING PROVIDER NAME Entity Identifier code	NM1 NM101	BCBSVT requires 85
BILLING PROVIDER NAME  Entity Identifier code  Identification code Qualifier	NM1 NM101 NM108	BCBSVT requires 85 BCBSVT requires XX
BILLING PROVIDER NAME  Entity Identifier code  Identification code Qualifier  Identification code	NM1 NM101 NM108 NM109	BCBSVT requires 85 BCBSVT requires XX BCBSVT requires a valid 10 digit NPI
BILLING PROVIDER NAME  Entity Identifier code  Identification code Qualifier  Identification code  BILLING PROVIDER ADDRESS	NM1 NM101 NM108 NM109	BCBSVT requires 85 BCBSVT requires XX BCBSVT requires a valid 10 digit NPI BCBSVT requires this segment

LOOP 2010AB – Pay-To Name		,
Pay-to Address Name	NM1	
Pay-to Address	N3	BCBSVT requires this segment
Pay-to Address	N4	BCBSVT requires this segment
LOOP 2000B – Subscriber Lev	vel Inform	nation
Subscriber Information	SBR	
Payer Responsibility Sequence number	SBR01	BCBSVT accepts the following values:
		P – Primary
		S – Secondary
		T – Tertiary
		U – Unknown
	SBR09	For Medicare claims, BCSBVT expects the following
		values:
		MA – Medicare Part A
		MB – Medicare Part B
		MC – Medicaid
		For BCBS claims, BCBSVT expects BL
LOOP 2010BA – Subscriber N	ame and	For BCBS claims, BCBSVT expects BL
LOOP 2010BA – Subscriber N Subscriber Name	ame and	For BCBS claims, BCBSVT expects BL
		For BCBS claims, BCBSVT expects BL
Subscriber Name	NM1	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)
Subscriber Name	NM1	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as
Subscriber Name	NM1	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in
Subscriber Name	NM1	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section
Subscriber Name Identification code	NM1 NM109	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)
Subscriber Name Identification code Subscriber Address	NM1 NM109 N3	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment
Subscriber Name Identification code Subscriber Address	NM1 NM109 N3	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment
Subscriber Name Identification code  Subscriber Address Subscriber Address	NM1 NM109 N3 N4	For BCBS claims, BCBSVT expects BL  Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment
Subscriber Name Identification code  Subscriber Address Subscriber Address	NM1 NM109 N3 N4 REF	Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment  BCBSVT requires this segment
Subscriber Name Identification code  Subscriber Address Subscriber Address	NM1 NM109 N3 N4 REF REF01	Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment  BCBSVT requires this segment
Subscriber Name Identification code  Subscriber Address Subscriber Address	NM1 NM109  N3 N4  REF REF01 REF02	Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment  BCBSVT requires this segment  BCBSVT requires a valid 9 digit social security number with no separators
Subscriber Name Identification code  Subscriber Address Subscriber Address Subscriber secondary identification	NM1 NM109  N3 N4  REF REF01 REF02	Address (BCBSVT requires)  BCBSVT requires the BCBSVT identifier including prefix as sent on the BCBSVT Member Identification Card in addition to member last and first name. (Reference Section 9 for transmission data examples)  BCBSVT requires this segment  BCBSVT requires this segment  BCBSVT requires a valid 9 digit social security number with no separators

10/14/2021 • 005010

Identification code	NM109	BCBSVT requires value of BCBSVT
Payer Address	N3	BCBSVT Payer Mailing Address value:
		P O BOX 186
Payer City State and Zip code	N4	BCBSVT Payer Mailing City Address value:
		MONTPELIER*VT*056010186
Payer Secondary Identification	REF	
LOOP 2300 - CLAIM INFORMA	TION (B	CBSVT requires)
Claim Information	CLM	
Claim Submitter Identifier	CLM01	Submitter Claim number (Note: The recommended length
		is no more than 20 characters
Claim frequency type code	CLM05-	Submit to indicate correction/adjustment to a previously
	03	submitted claim using the following values from the
		National Uniform Billing data specification types:
		5 – Late Charges
		7 – Replacement of prior claims
		8 – Void/Cancel of prior claims
		BCBSVT requires the original BCBSVT payer claim
		number to be submitted in REF*F8 segment at 2300 loop
		for these types of claims.
Date-Admission	DTP	Admission date (DTP*435*CCYYMMDD) is required if
		CLM05-01 (Place of Service) = 21-Inpatient Hospital, 51-
		Inpatient Psych or 61-Comprehensive Inpatient
Payer Claim Control Number	REF	
	REF02	For Claim Frequency types 5, 7, and 8 (CLM05-03),
		BCBSVT requires the BCBSVT Claim number from the
		original claim. (Reference the 835 ERA 2100A Loop –
		Element CLP07 or paper RA).
Clinical laboratory Improvement	REF	
Amendment (CLIA Number)		
Investigational Device Exemption Number	REF	
Claim Identifier for Transmission	REF	
Intermediaries		
Medical Record Number	REF	
Demonstration Project Identifier	REF	
Claim Note	NTE	
Ambulance Transport Information	CR1	
Spinal Manipulation Service Information	CR2	
Homebound Indicator	CRC	
HealthCare Diagnosis code	н	
	HI01	

10/14/2021 • 005010

	HI02	BCBSVT requires a valid principle diagnosis code in
		accordance with CMS ICD10 guidelines. (Note: Do not
		send decimal point.
Condition information	HI	
Claim Pricing/ Re Pricing information	HCP	
LOOP – 2310A – Referring Prov	vider (If	applicable)
Referring Provider Name	NM1	
	NM108	XX
	NM109	BCBSVT requires a valid 10 digit NPI
Referring Provider Secondary Identification	REF	
LOOP - 2310B - Rendering Pro	vider (F	Required if different from billing)
Rendering Provider Name	NM1	
	NM108	XX
	NM109	BCBSVT requires a valid 10 digit NPI
Rendering Provider Specialty	PRV	
Information		
	PRV02	BCBSVT use PE for Rendering
	PRV03	BCBSVT requires a valid Provider Taxonomy Code
Rendering Provider Secondary	REF	
Identification		
LOOP - 2310C - Service Facilit	y Name	and Location
Service Facility location name	NM1	(Note: NM108/NM109 should not be submitted)
Service facility location address	N3	
Service facility City, State and Zip	N4	
Service Facility secondary identification	REF	
Service facility contact information	PER	
LOOP - 2310D - Supervising P	rovider	
Supervising provider identification	REF	
LOOP - 2310E - Ambulance pie	ck up lo	cation (Should be submitted when the
CLM0501 element is a value of	-	•
	<u> </u>	(Allibulatice services)
Ambulance Pick up location address	N3	
Ambulance pick up city, state and zip code	N4	
LOOP – 2310E – Ambulance dr	op off lo	ocation (Should be submitted when the
CLM0501 element is a value of	'41','42	' (Ambulance services)
Ambulance drop off location address	N3	
Ambulance drop off city, state and zip code	N4	
LOOP 2320 - Other Subscriber	informa	ition

10/14/2021 • 005010

When submitting service lines (2400 loc	p/SV103 t	through SV106) with a GY modifier (Medicare
statutorily excluded), you must also su	ubmit this I	oop containing the Medicare Information.
Other subscriber information	SBR	
Claim Filing Indicator	SBR09	BCBSVT requires Claim Filing Indicator for claim services
Claim I lining maloator	OBINO	with the GY Modifier.
		MA – Medicare Part A
		MB – Medicare Part B
		MC - Medicaid
Claim level adjustments	CAS	WO - Wedicald
Coordination of Benefits Payer Paid	AMT	
amount	7	
Other Insurance coverage information	OI	
Outpatient Adjudication information	MOA	
		as and Address
LOOP – 2330A – Other Subscri		ne and Address
Other subscriber name	NM1	
Other subscriber address	N3	
Other subscriber city state and zip	N4	
Other subscriber secondary identification	REF	
LOOP - 2330B - Other Payer Ir	formati	on
Other Payer Name	NM1	
	NM109	NM109 in this loop cannot have same value as Payer ID of
		other payer in the claim.
Claim Check or Remittance Date	DTP	
	DTP03	BCBSVT requires a valid check remittance date for
		Medicare cross over claims.
		If (Claim receipt – Medicare Remittance date) < = 30 days,
		BCBSVT returns/rejects the claim back to the provider.
Other Payer Secondary Identification	REF	
Other Payer Prior Authorization Number	REF	
Other Payer Claim adjustment indicator	REF	
LOOP - 2330C - Other Payer R	eferring	Provider
Other payer referring provider Name	NM1	
Other payer referring provider secondary	REF	
identification		
LOOP - 2330D - Other Payer R	enderin	g Provider
Other payer rendering provider name	NM1	
Other payer rendering provider secondary	REF	
identification		

Other payer service facility location	NM1	
Other payer service facility location	REF	
secondary identification	1121	
LOOP - 2400 - Service Line no	ımber	
Service line number	LX	
Professional service	SV1	
Product/Service ID qualifier	SV101-	BCBSVT requires HC (HCPCS code)
	1	
Production/Service ID	SV101-	BCBSVT requires valid HCPCS Procedure codes
	2	
Unit or Measurement code	SV103	BCBSVT requires UN for services
		MJ (minutes) for Anesthesia Services
Durable medical equipment service	SV5	
Durable medical equipment certificate of	PWK	
Medical Necessity indicator		
Ambulance Transport information	CR1	
Durable Medical equipment certification	CR3	
Hospice Employee Indicator	CRC	
Condition indicator/Durable medical	CRC	
equipment		
Date-Service Date	DTP	
	DTP03	
Date-Certification revision/Recertification	DTP	
Date		
Date-Begin Therapy date	DTP	
Date-Last Certification date	DTP	
Date-Last seen date	DTP	
Date-Test date	DTP	
Date-Shipped date	DTP	
Date-Last X Ray date	DTP	
Date-Initial treatment date	DTP	
Test Results	MEA	
Contract information	CN1	Send if your provider contract requires you to send this
Contract Information	CINT	information
Re Priced line item reference number	REF	
Prior Authorization	REF	
Line item Control number	REF	
Mammography Certification number	REF	

Clinical laboratory improvement	REF	
Amendment (CLIA )	IXLI	
Referring Clinical laboratory improvement	REF	
amendment (CLIA) facility identification	IXLI	
Immunization Batch Number	REF	
Referral Number	REF	
Sales Tax Amount	AMT	
Postage Claim Amount	AMT	
Line Note	NTE	
Purchased service information	PS1	
	HCP	
Line Pricing/Re pricing information		
LOOP – 2410 – Drug Identificat	ion	
Drug Identification	LIN	
Drug quantity	CTP	Always submit CTP segment when submitting LIN (Note:
		CTP04-Qty (e.g. 99999999999) and CTP05-Unit of
		measure are required)
Prescription or Compound drug association	REF	
number		
LOOP – 2420A – Rendering Pro	vider N	ame
Rendering provider secondary identification	REF	
LOOP - 2420B - Purchased Se	rvice Pr	ovider Name
Purchased service provider name	NM1	
LOOP - 2420G - Ambulance pi	ck up lo	cation
Ambulance pick up location address	N3	
Ambulance pick up location city, state and	N4	
Zip code		
LOOP - 2420H - Ambulance dr	op off lo	ocation
Ambulance drop off location address	N3	
Ambulance drop off location city, state and	N4	
Zip code		
LOOP - 2430 - Line Adjudication	n Infori	mation
Line Adjudication information	SVD	
Line Adjustment	CAS	
Line Check or Remittance Date	DTP	
	DTP03	BCBSVT requires the check Remittance date if missing at
		claim level for Medicare Crossover claims.
Remaining Patient Liability	AMT	

LOOP – 2440 – Form Identification Code						
Form Identification code	LQ					
Supporting documentation	FRM					
LOOP – 2000C – Patient Hierarchical level						
Patient Hierarchical level	HL					
Patient information	PAT					
	PAT01	This segment needs to be how the patient is related to the				
		contract holder and should mention the actual relationship				
		of the patient to the contract holder.				
LOOP - 2010CA - Patient Name and Address						
Patient Name	NM1					
Patient address	N3					
Patient City, State and Zip	N4					
Patient Demographic information	DMG					
Property and causality Claim Number	REF					

# 8 Acknowledgements and Reports

This section contains information on acknowledgements and reports returned by BCBSVT,

### 8.1 ASC X12 Acknowledgments

- BCBSVT does not support 277CA
- BCBSVT provides 999 acknowledgments as per TR3

If one or more claim transactions in the 837 file fail EDI validation, BCBSVT rejects the entire file. The trading partner must correct the file and resubmit a corrected file with a new unique Interchange control number.

The examples below illustrate 999 responses for both rejected (AK\*9 value of 'R') and accepted (AK\*9 value of 'A') 837 professional claim files.

#### 999 Example - Rejected File

ST\*999\*0001\*005010X231A1~ AK1\*HC\*5446299\*005010X222A1~ AK2\*837\*5498840\*005010X222A1~ IK5\*A~ AK2\*837\*5498841\*005010X222A1~ IK5\*A~ AK2\*837\*5498842\*005010X222A1~ IK3\*N4\*25988\*2010\*8~

IK4\*2\*156\*5\*MONTREAL~ IK4\*2\*156\*I13\*MONTREAL~ CTX\*SITUATIONAL TRIGGER\*N4\*25988\*\*4\*26~ IK4\*3\*116\*4\*QC~ IK4\*4\*26\*I12\*99999~ IK4\*4\*26\*5\*99999~ IK3\*N4\*26013\*2010\*8~ IK4\*2\*156\*5\*MONTREAL~ IK4\*2\*156\*I13\*MONTREAL~ CTX\*SITUATIONAL TRIGGER\*N4\*26013\*\*4\*26~ IK4\*3\*116\*4\*QC~ IK4\*4\*26\*I12\*99999~ IK4\*4\*26\*5\*99999~ IK5\*E\*5\*I5~ AK9\*R\*3\*3\*0~ SE\*24\*0001~

### 999 Example - Accepted File

ST\*999\*0001\*005010X231A1~ AK1\*HC\*334009011\*005010X222A1~ AK2\*837\*334009010\*005010X222A1~ IK5\*A~ AK9\*<mark>A</mark>\*1\*1\*1~ SE\*6\*0001~

# 8.2 Report Inventory

BCBSVT sends out Audit reports and HTML error reports.

The Audit report gives you a summary of claims accepted and rejected. Accepted claims are processed into the BCBSVT claims adjudication system. Rejected claims require correction and resubmission by the Trading partner.

(Note: With the migration of BlueCard claims to a new processing system, the Audit Report will reflect only claims sent to the current processing system)

BCBSVT returns HTML Error reports when rejecting an entire 837 file. The HTML Error report gives details regarding the rejection reason(s) and should be used in conjunction with the 999 acknowledgement information to correct and resubmit the file.

# 9 Additional Trading Partner Information

This section contains additional reference information.

## 9.1 Implementation Checklist

N/A

# 9.2 Transmission Examples

This section contains sample Control segment examples in addition to 837 Claim examples for:

**Professional Physician Services** 

Claim Corrections / Adjustments

Medicare Statutorily Excluded Services (GY Modifier)

### **Envelope /Control Segment Examples**

(Note: Replace #### with the Trading Partner/Sender ID assigned in the Enrollment process)

#### Interchange Control - ISA /IEA

ISA\*00\* \*00\* \*ZZ\*#### \*ZZ\*BCBSVT \*140301\*1800\*^\*00501\*123456789\*0\*P\*: IEA\*1\*123456789

#### **Functional Group GS-GE**

GS\*HC\*####\*BCBSVT\*20140328\*0839\*5447983\*X\*005010X222A1 GE\*2\*1234567

#### **Transaction Set Control ST-SE**

ST\*837\*0001\*005010X222A1

SE\*999\*0001 (where 999 is replaced with the actual segment count)

#### BHT and Payer/Payee Loops 1000A/B

BHT\*0019\*00\*805058768\*20140127\*0917\*CH~ NM1\*41\*2\*####\*\*\*\*\*46\*###~ PER\*IC\*SUPPORT\*TE\*8885555555~ NM1\*40\*2\*BCBSVT\*\*\*\*\*46\*BCBSVT~

### **CLAIM EXAMPLES - PROFESSIONAL SERVICES**

```
HL*10**20*1~
NM1*85*2*VT HEALTH PROVIDER****XX*1194442450~
N3*HLTHPROV DR~
N4*HEALTHPROVCTY*VT*056011234~
REF*EI*5111111111~
HL*11*10*22*1~
SBR*P**00004011*****BL~
NM1*IL*1*LASTNAMSUB*FIRSTNAMSUB***MI*ABC12345678900~
NM1*PR*2*BCBS VT*****PI*84980~
HL*12*11*23*0~
PAT*01~
NM1*QC*1*LASTNAMPAT*FIRSTNAMPAT*M~
N3*888 PATIENT ROAD~
N4*PATIENTCITY*VT*05601~
DMG*D8*198101*F~
CLM*234567801*196.06***11:B:1*Y*A*Y*Y~
DTP*435*D8*20170601
HI*ABK:Z0000*ABF:R635*ABF:M25571*ABF:M25572*ABF:Z23~
NM1*DN*1*PROVALASTNAM*PROVAFSTNAM****XX*1183349747~
NM1*82*1*PROVRNDLASTNAM*PROVRNDFSTNAMAN****XX*1183339747~
PRV*PE*PXC*207R00000X~
NM1*77*2*PROVSVCFACILITYLOCATION~
N3*SVCFACILITYROAD ROAD~
N4*SVCFACILITYCTY*VT*05601~
LX*1~
SV1*HC:99396:25*165*UN*1***1:2:3:4~
DTP*472*D8*20170601~
REF*6R*421544~
LX*2~
SV1*HC:90714*2.01*UN*1***5~
DTP*472*D8*20170601~
REF*6R*421545~
LIN**N4*49281021510~
CTP****1*ML~
LX*3~
SV1*HC:90471*29.05*UN*1***5~
DTP*472*D8*20170601~
REF*6R*421546~
```

# **CLAIM EXAMPLES-CLAIM CORRECTIONS AND ADJUSTMENTS**

#### REPLACEMENT OF PRIOR CLAIM- CLAIM FREQUENCY TYPE of 7

HL\*1\*\*20\*1~

NM1\*85\*2\*BILLINGPROV\*\*\*\*\*XX\*1192394162~

N3\*BILLPROV DRIVE~

N4\*BILLPROVTOWN\*VT\*056011004~

REF\*EI\*55555555~

PER\*IC\*BILLPROVCONTACT\*TE\*8025551111~

NM1\*87\*2~

N3\*PO BOX 1234~

N4\*BILLPROVTOWN\*VT\*056011200~

HL\*2\*1\*22\*0~

SBR\*P\*18\*123456\*\*\*\*\*BL~

NM1\*IL\*1\*PATLASTNAME\*PATFIRSTNAME\*L\*\*\*MI\*ABC2345678900~

N3\*PATIENT STREET~

N4\*PATIENTCITY\*VT\*05601~

DMG\*D8\*198101\*F~

REF\*SY\*000111222~

NM1\*PR\*2\*BCBSVT BCBS OF VERMONT\*\*\*\*\*PI\*BCBSVT~

N3\*PO BOX 186~

N4\*MONTPELIER\*VT\*056010186~

CLM\*12345676T421111\*1359\*\*\*22^B^7\*Y\*A\*Y\*Y~

REF\*D9\*172161035550~

REF\*F8\*201705110001~

HI\*ABK^C781~

NM1\*82\*1\*SVCPROVLASTNAM\*SVCPROVFSTNAM\*\*\*\*XX\*1356507388~

PRV\*PE\*PXC\*2085R0001X~

NM1\*77\*2\*SVCFACILITYLOCATIONNAME~

N3\*SVCFACILITY RD~

N4\*SVCFACILITYTOWN\*052015010~

LX\*1~

SV1\*HC^77427\*1359\*UN\*1\*\*\*1~

DTP\*472\*D8\*20170501~

REF\*6R\*987654321B40325~

# CLAIM EXAMPLES - MEDICARE STATUTORILY EXCLUDED DIRECT PAYER SUBMISSON (GY MODIFIER)

Service line (2400 loop)

LX\*1~ SV1\*HC:99213:**GY**:25\*100\*UN\*1\*\*\*1:2:3:4\*\*Y~

# Should be accompanied with applicable Medicare information in 2320 Loop

SBR\*P\*18\*\*\*\*\*\*MB~ OI\*\*\*Y\*\*\*Y~

### 2330 Loop information

NM1\*IL\*1\*LASTNAME\*FIRSTNAME\*B\*\*\*MI\*123456789A~ N3\*195 STREET ADDRESS~ N4\*VERMONTTOWN\*VT\*053019998~

# 9.3 Trading Partner Agreement

EDI Trading Partner Agreements ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

Please contact EDI Technical Support to obtain a copy of the Trading Partner Agreement form

### 9.4 Frequently Asked Questions

N/A

### 9.5 Other Resources

N/A

# **10 TP Change Summary**

This section details the changes between this version and the previous version.

Version	Date	Section(s) changed	Change Summary
1.0		Original 5010	
1.01	08/10/2017	Title Page	Logo Modification
1.01	08/10/2017	Section 7 – BCBSVT Specific Rules and Limitations	Clarifications of BCBSVT required loops/Provider to Payer Model, Claim Adjustments, Provider and Member Identifiers
1.01	08/10/2017	Section 8.2	Audit Report Claim Inclusion Change
1.01	08/10/2017	Section 9 –Additional Trading Partner Information	Updates to submission examples for ICD10/Adjustments
1.02	10/14/2021	Section 7 - Supplemental information on the loop and segment	Updated the notes for NM109 in LOOP – 2330B and PAT01 segment in LOOP – 2000C.
1.02	10/14/2021	Updated SFTP and EDI form hyperlinks wherever applicable.	Earlier URLs were outdated so updated with the new ones.